








## Nozzles for Dow's Enlist Duo™ with COLEX-D™ Technology

Greenleaf Technologies now has seven nozzles approved for Dow's new 2,4-D herbicide formulation, Enlist Duo™ with COLEX-D Technology™. It is critical that farmers and applicators read the label before applying this product. All approved nozzles are listed on the label, along with the specific operating pressure for each nozzle.

Greenleaf Tech's TDXL and TADF nozzles can quickly and easily be converted to the "D" versions by changing out the pattern tip(s). Please contact us at 800-881-4832 for additional information.

Yellow Highlighting represents operating range of each nozzle for Enlist Duo™

	Liquid Pressure PSI	Nozzle Capacity GPM	GALLONS PER ACRE BASED ON 20" NOZZLE SPACING									
			4 MPH	5 MPH	6 MPH	8 MPH	10 MPH	12 MPH	14 MPH	16 MPH	18 MPH	20 MPH
	20	0.21	15.8	12.6	10.5	7.9	6.3	5.3	4.5	3.9	3.5	3.2
	30	0.26	19.3	15.4	12.9	9.6	7.7	6.4	5.5	4.8	4.3	3.9
	40	0.30	22.3	17.8	14.9	11.1	8.9	7.4	6.4	5.6	5.0	4.5
	45	0.32	23.6	18.9	15.8	11.8	9.5	7.9	6.8	5.9	5.3	4.7
	50	0.34	24.9	19.9	16.6	12.5	10.0	8.3	7.1	6.2	5.5	5.0
	60	0.37	27.3	21.8	18.2	13.6	10.9	9.1	7.8	6.8	6.1	5.5
	70	0.40	29.5	23.6	19.6	14.7	11.8	9.8	8.4	7.4	6.5	5.9
	75	0.41	30.5	24.4	20.3	15.3	12.2	10.2	8.7	7.6	6.8	6.1
	20	0.28	21.0	16.8	14.0	10.5	8.4	7.0	6.0	5.3	4.7	4.2
	30	0.35	25.7	20.6	17.1	12.9	10.3	8.6	7.3	6.4	5.7	5.1
	40	0.40	29.7	23.8	19.8	14.9	11.9	9.9	8.5	7.4	6.6	5.9
	45	0.42	31.5	25.2	21.0	15.8	12.6	10.5	9.0	7.9	7.0	6.3
	50	0.45	33.2	26.6	22.1	16.6	13.3	11.1	9.5	8.3	7.4	6.6
	60	0.49	36.4	29.1	24.2	18.2	14.5	12.1	10.4	9.1	8.1	7.3
	70	0.53	39.3	31.4	26.2	19.6	15.7	13.1	11.2	9.8	8.7	7.9
	75	0.55	40.7	32.5	27.1	20.3	16.3	13.6	11.6	10.2	9.0	8.1
	20	0.42	31.5	25.2	21.0	15.8	12.6	10.5	9.0	7.9	7.0	6.3
	30	0.52	38.6	30.9	25.7	19.3	15.4	12.9	11.0	9.6	8.6	7.7
	40	0.60	44.6	35.6	29.7	22.3	17.8	14.9	12.7	11.1	9.9	8.9
	45	0.64	47.3	37.8	31.5	23.6	18.9	15.8	13.5	11.8	10.5	9.5
	50	0.67	49.8	39.8	33.2	24.9	19.9	16.6	14.2	12.5	11.1	10.0
	60	0.73	54.6	43.6	36.4	27.3	21.8	18.2	15.6	13.6	12.1	10.9
	70	0.79	58.9	47.1	39.3	29.5	23.6	19.6	16.8	14.7	13.1	11.8
	75	0.82	61.0	48.8	40.7	30.5	24.4	20.3	17.4	15.3	13.6	12.2

	Liquid Pressure PSI	Nozzle Capacity GPM	GALLONS PER ACRE BASED ON 20" NOZZLE SPACING									
			4 MPH	5 MPH	6 MPH	8 MPH	10 MPH	12 MPH	14 MPH	16 MPH	18 MPH	20 MPH
	20	0.21	15.8	12.6	10.5	7.9	6.3	5.3	4.5	3.9	3.5	3.2
	30	0.26	19.3	15.4	12.9	9.6	7.7	6.4	5.5	4.8	4.3	3.9
	40	0.30	22.3	17.8	14.9	11.1	8.9	7.4	6.4	5.6	5.0	4.5
	50	0.34	24.9	19.9	16.6	12.5	10.0	8.3	7.1	6.2	5.5	5.0
	60	0.37	27.3	21.8	18.2	13.6	10.9	9.1	7.8	6.8	6.1	5.5
	70	0.40	29.5	23.6	19.6	14.7	11.8	9.8	8.4	7.4	6.5	5.9
	80	0.42	31.5	25.2	21.0	15.8	12.6	10.5	9.0	7.9	7.0	6.3
	90	0.45	33.4	26.7	22.3	16.7	13.4	11.1	9.5	8.4	7.4	6.7
	100	0.47	35.2	28.2	23.5	17.6	14.1	11.7	10.1	8.8	7.8	7.0
		20	0.28	21.0	16.8	14.0	10.5	8.4	7.0	6.0	5.3	4.7
30		0.35	25.7	20.6	17.1	12.9	10.3	8.6	7.3	6.4	5.7	5.1
40		0.40	29.7	23.8	19.8	14.9	11.9	9.9	8.5	7.4	6.6	5.9
50		0.45	33.2	26.6	22.1	16.6	13.3	11.1	9.5	8.3	7.4	6.6
60		0.49	36.4	29.1	24.2	18.2	14.5	12.1	10.4	9.1	8.1	7.3
70		0.53	39.3	31.4	26.2	19.6	15.7	13.1	11.2	9.8	8.7	7.9
80		0.57	42.0	33.6	28.0	21.0	16.8	14.0	12.0	10.5	9.3	8.4
90		0.60	44.6	35.6	29.7	22.3	17.8	14.9	12.7	11.1	9.9	8.9
100		0.63	47.0	37.6	31.3	23.5	18.8	15.7	13.4	11.7	10.4	9.4
		20	0.42	31.5	25.2	21.0	15.8	12.6	10.5	9.0	7.9	7.0
	30	0.52	38.6	30.9	25.7	19.3	15.4	12.9	11.0	9.6	8.6	7.7
	40	0.60	44.6	35.6	29.7	22.3	17.8	14.9	12.7	11.1	9.9	8.9
	50	0.67	49.8	39.8	33.2	24.9	19.9	16.6	14.2	12.5	11.1	10.0
	60	0.73	54.6	43.6	36.4	27.3	21.8	18.2	15.6	13.6	12.1	10.9
	70	0.79	58.9	47.1	39.3	29.5	23.6	19.6	16.8	14.7	13.1	11.8
	80	0.85	63.0	50.4	42.0	31.5	25.2	21.0	18.0	15.8	14.0	12.6
	90	0.90	66.8	53.5	44.6	33.4	26.7	22.3	19.1	16.7	14.9	13.4
	100	0.95	70.4	56.4	47.0	35.2	28.2	23.5	20.1	17.6	15.7	14.1
		20	0.57	42.0	33.6	28.0	21.0	16.8	14.0	12.0	10.5	9.3
30		0.69	51.4	41.2	34.3	25.7	20.6	17.1	14.7	12.9	11.4	10.3
40		0.80	59.4	47.5	39.6	29.7	23.8	19.8	17.0	14.9	13.2	11.9
50		0.89	66.4	53.1	44.3	33.2	26.6	22.1	19.0	16.6	14.8	13.3
60		0.98	72.7	58.2	48.5	36.4	29.1	24.2	20.8	18.2	16.2	14.5
70		1.06	78.6	62.9	52.4	39.3	31.4	26.2	22.5	19.6	17.5	15.7
80		1.13	84.0	67.2	56.0	42.0	33.6	28.0	24.0	21.0	18.7	16.8
90		1.20	89.1	71.3	59.4	44.6	35.6	29.7	25.5	22.3	19.8	17.8
100		1.26	93.9	75.1	62.6	47.0	37.6	31.3	26.8	23.5	20.9	18.8